Environmental Effects & Information Needs of Alternative Energy Uses on the OCS

Jacqueline Michel Research Planning, Inc.

Objectives of MMS Study


- 1) Current offshore energy technologies and future trends
- 2) Public acceptance
- 3) Potential direct, indirect, cumulative environmental effects
- 4) Mitigation measures
- 5) Models to determine impacts
- 6) Information needs to address data gaps

Impacts to...


- 1) Physical processes
- 2) Benthic resources
- 3) Fishery resources
- 4) Marine mammals
- 5) Sea turtles
- 6) Flying animals
- 7) Space-use conflicts
- 8) Aesthetics

Types of Impacts

- 1) Habitat change
- 2) Attraction/avoidance
- 3) Collision/entanglement/entrainment
- 4) EMF
- 5) Noise/vibration
- 6) Contaminants
- 7) Lost use



Operation




Habitat Change

- New substrate (hard and structurally complex)
- Pelagic to fixed reef communities
- Substrate change from scour/deposition (thus infaunal community change)
- Range extension of invasive species

How to determine ecological significance of changes


Foundation Types

Proven Shallow Water Designs



Monopile Foundation


- **≻**Most Common Type
- **►**Minimal Footprint
- **>Depth Limit 25 m**
- **>Low stiffness**



Gravity Foundation

- **≻Larger Footprint**
- **▶Depth Limit 20 m**
- **≻Stiffer but heavy**

Transitional




Tripod/Truss Foundation

- **≻**No wind experience
- ➤Oil and gas to 450 m
- >Larger footprint

Attraction/Avoidance

- Lighting
- Structures
- Prey abundance



Collision/Entanglement/ Entrainment

- Collision with blades birds, bats
- Floating units lines and anchors marine mammals, sea turtles
- Overtopping wave devices fish entrainment
- Prey concentration sea turtles, birds, mammals
- Increased construction and maintenance vessel traffic

Wave Devices

PointAbsorber



Attenuator



Oscillating
Water Column



Overtopping



EMF

- Wind farms can have >50 km of cables
- Elasmobranches most sensitive
 - Avoidance or attraction
 - Feeding or migratory behavior
- Marine mammal and sea turtle migration?
- Effects on benthic communities

Noise/Vibration

- Pile driving during construction acute impacts to marine mammals, sea turtles, fish
- Operational noise of turbines communication, prey location, other on marine mammals, fish
- Maintenance increased vessel traffic

Contaminants

- Oil spills from increased vessel traffic
- Antifouling coatings on wave and current devices

Info Needs - SC Ocean Mapping

- Distribution and abundance of natural resources
- Navigation
- Commercial and recreational fisheries
- Cultural resources
- Other seafloor issues
 - Cables
 - Dredging borrow/disposal sites

Info Needs - Physical Resources

- Maps of wind, wave, and ocean current resources suitable to support alternative energy extraction
- Background seabed characteristics, sediment dynamics (esp. on sand shoals)
- Shoreline morphology monitoring
- Guidance on what levels of change are acceptable

Info Needs - Benthic Resources

- Benthic habitat maps of spatially recognizable areas with distinct physical, chemical, and biological environments for siting and regional assessments
- Coordinate with National Benthic Habitat Mapping Program
 - Protocols
 - Work in pilot areas

Info Needs - Fishery Resources

- Fishery habitat maps close linkage to benthic habitat maps
- Predator-prey interactions
- Close coordination with FMCs
- New methods for baseline monitoring to support impact assessment (past studies too limited spatially and temporally)
- Alternative energy sites as de facto MPAs?

Info Needs - Marine Mammals

- Baseline studies for key species (right whale, humpback whale)
 - Platforms/methods for improved monitoring and assessment
 - Dynamic models that link environmental conditions to sightings
 - Sampling resolution and study duration for sufficient baseline data
- Lots of data but usually too coarse to assess sitespecific impacts


Info Needs - Sea Turtles


- Baseline studies high priority areas
 - Density
 - Importance
 - Specific uses
 - Migration routes
- Long-term studies to address high spatial and temporal variations

Info Needs - Birds

- Baseline data on distribution, abundance, temporal patterns for on-water and in-air movements/behavior
 - Define flyways
 - Determine flight height
 - Diurnal and nocturnal movements
 - Foraging and wintering use offshore
 - Effects of weather

Birds – radar observations






Info Needs - Socio-Economics

- Baseline data for siting and assessment
 - Commercial/recreational fishing
 - Marine recreational use
 - Sand and gravel extraction
 - Navigation
 - Aquaculture
- Space-use conflicts (commercial fisheries exclusion zone, either formal or de facto)

Case Study 1: Thames Estuary Projects



MMS Reports

Michel, J. et al. 2007. Worldwide Synthesis and Analysis of Existing Information Regarding Environmental Effects of Alternative Energy Uses on the Outer Continental Shelf. U.S. Department of the Interior, Minerals Management Service, Herndon, VA, MMS OCS Report 2007-038. 254 pp.

Michel, J. and Burkhard, E. 2007. Workshop to Identify Alternative Energy Environmental Information Needs: Workshop Summary. U.S. Department of the Interior, Minerals Management Service, Herndon, VA, MMS OCS Report 2007-057. 55 pp. + app.